

# DEPARTMENT OF NATURAL RESOURCES

www.dnr.mo.gov

JAN - 9 2006

Steve Tindle President Garage Graphics and Visuals 2625 N. Neergard Ave Springfield, MO 65803

RE: New Source Review Permit, Permit by Rule

Project Number: 2005-06-005, Facility ID Number: 077-0247

Dear Mr. Tindle:

On March 14, 2005, you submitted a "Permit by Rule" application for three paint booths. The original intention of the Permit by Rule was to allow a source to construct and operate the applicable source as soon as you submitted the application to our office. The Permit by Rule language states that the permit shall be approved after an initial on-site compliance inspection. However, in order to streamline the permitting process and satisfy requirements of the Environmental Protection Agency, the department has modified the procedures on these types of permits. The department now intends to review and approve permit by rule applications within seven days of submittal. The department will verify the permit during an on-site compliance inspection at a later date.

However, this does not affect your application or permit. Your Permit by Rule notification is valid as of the submittal day, March 14, 2005. Enclosed with this letter are a permit certificate and a copy of your application. The reverse side of the permit certificate has important information concerning standard permit conditions and your rights and obligations under the laws and regulations of the State of Missouri. The application contains the special conditions applicable to your source. Operation in accordance with these conditions is necessary for continued compliance. Please keep the permit form and application in your files.

If you have any questions regarding this permit, please do not hesitate to contact me at (573) 751-4817, or you may write to me at the Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102. Thank you for your attention to this matter.

Sincerely,

AIR POLLUTION CONTROL PROGRAM

Kyra L. Moore

Permits Section Chief

KLM: jbl

Enclosures

c: Brian Adams, Springfield Air Quality Control

Southwest Regional Office PAMS File: 2005-06-005

Permit Number: 01 2 0 0 6 - 0 0 6

Recycled Paper

# PERMIT TO CONSTRUCT PERMIT BY RULE

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct and operate the air contaminant source(s) described below, in accordance with the laws, rules, and conditions set forth here in.

Construction Permit Number: 01 2 0 0 6 - 0 0 6

**Project Number:** 2005-06-005 **Installation ID:** 077-0247

# **Installation Name and Address**

Garage Graphics and Visuals 2625 N. Neergard Ave Springfield, MO 65803 Greene County

# Parent Company's Name and Address

N/A

# **Installation Description:**

Manufactures custom dimensional signage. Installing three paint booths with dry filters for overspray control.

JAN - 9 2006	Jame (/ wound
Effective Date	Director or Designee Department of Natural Resources

# STANDARD CONDITIONS:

Permission to construct may be revoked if you fail to begin construction or modification within two years from the effective date of this permit. Permittee should notify the Air Pollution Control Program if construction or modification is not started within two years after the effective date of this permit, or if construction or modification is suspended for one year or more.

You will be in violation of 10 CSR 10-6.060 and 10 CSR 10-6.062 if you fail to adhere to the specifications and conditions listed in your permit by rule application and this permit. Specifically, all air contaminant control devises shall be operated and maintained as specified in the application, associated plans and specifications.

You must notify the Department of Natural Resources Regional office responsible for the area within which the equipment is located within 15 days after the actual start up of this air contaminant source or as soon as you receive your permit.

A copy of this permit and permit notification shall be kept at the installation address and shall be made available to Department of Natural Resources' personnel upon request.

You may appeal this permit or any of the listed special conditions to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, Missouri 65102, as provided in RSMo 643.075.6 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within thirty days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you choose not to appeal, this certificate, the project review, your application and associated correspondence constitutes your permit to construct. The permit allows you to construct <u>and</u> operate your air contaminant sources(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources and other applicable federal, state and local laws and ordinances.

The Air Pollution Control Program invites your questions regarding this air pollution permit. Please contact the Construction Permit Unit at (573) 751-4817. If you prefer to write, please address your correspondence to the Air Pollution Control Program, P.O. Box 176, Jefferson City, Missouri 65102-0176, attention: Construction Permit Unit.

# MISSOURI DEPARTMENT OF NATURAL RESOURCES AIR POLLUTION CONTROL PROGRAM

P.O. BOX 176, JEFFERSON CITY, MO 65102-0176

# APPLICATION FOR AUTHORITY TO CONSTRUCT **PERMIT BY RULE NOTIFICATION**

APCP USE ONLY	
CHECK NO. 1000	CHECK RECEIVED (MM/DD/YY
CHECK AMOUNT	CHECK DATÉ (MM/DD/YY)
\$ 700.00	NIA
PROJECT NO.	PERMIT NO.

SURPACE COA	INTO OPERALIONS		Ì			
SECTION A: GENERAL NO			OTIFICATIONS MUS	ST BE ACCOMPA	ANIED BY A \$700 F	EE.
SECTION A-1: GENERAL IN	ISTALLATION INFOR	MATION			T	1 212 / 11/1 .
i. i <b>nstallation name</b> Garage Graphics ar	nd Visuals Inc		2.FIPS 077		3. PLANT NO. 0247	31C/NAI
INSTALLATION STREET ADDRESS	id visuals, like.		0//			1 3/1/3
	1625 N. Neergard	l Ave.			_	
INSTALLATION MAILING ADDRESS	Same					
COTY			STATE	_	ZIP CODE	
Springfield			M	0	65803	
COUNTY NAME Greene	8. 1/4, of	1/4, of	SECTION	TOWNSHIP	RANGE	
PARENT COMPANY	NA NA					
0. PARENT COMPANY MAILING ADDRES	<u></u>		······································	The state of the s		
	NA					
1. CITY	NA		STATE		ZIP CODE	
2. INSTALLATION CONTACT PERSON	Steve Tindle		13. CONTACT PERSON	s mr.e Preside	ent .	
4. CONTACT PERSON'S MAILING ADDRE	:86			11000		
	2625 N. Ne	ergard				
S. INSTALLATION CONTACT TELEPHONE	NO.	•///	16. INSTALLATION CONT	•		
417 ) 831-7570	(Charles Z	ittle)	(417) 831	1-7537		
7. INSTALLATION CONTACT E-MAIL ADD		ggandv.co	m			
9. PROJECTED DATE TO COMMENCE CO			19. PROJECT DATE OF	OPERATION STARTUP		planting the second
2 / 28 / 0		***************************************	3 /14 / 05			
ECTION A-2: INSTALLATIO	N DESCRIPTION					
Paint 519 ECTION A-3: CERTIFICATION	als include wood ne resistant hards ray booths for a for a grage is incommon statement	i, aluminum, shell urethar (3) ar verspra uretha	foam, steel and ne coating.  The planne, y control.  The placeure	d acrylic. The de to be of the decreased was	foam pieces an in s talled s ter, based pa	e with
certify that I have personally ccurate and complete. I am a nis permit.						
. SIGNATURE OF RESPONSIBLE (	OFFICIAL /	1			22. DATE 2 / 8 / 05	<u></u>
DID OF THE PROPERTY OF THE PRO	Wor	1111				
TYPE OR PRINT NAME OF RESP			24. RESPONSIBLE OF	FFICIAL'S TELEPHON	E NUMBER	
Steve Tind	lle		(417) 831-7570			
TITLE OF RESPONSIBLE OFFICE	AL.					
	President					
	1.00.00111					

## SECTION B: SPECIAL CONDITIONS FOR PRINTING OPERATIONS

Construction and operation of this new air pollution source is subject to the special conditions listed below. These special conditions are based on the authority granted to the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically RSMo. 643.075) and by the Missouri Rules listed in Title 10, Division 10 of the Code of State Regulations (specifically 10 CSR 10-6.062 "Construction Permits by Rule").

Please indicate by marking the appropriate box as to whether or not the emission source complies with the rule listed in the applicable emission limit or standard. If any of the applicable emission source boxes are checked no, your source is not eligible for a printing operation permit by rule.

This Permit By Rule applies only to Surface Coating Operations constructed after October 31, 2003.

SPECIAL CONDITION	EMISSION SOURCE COMPLY?	APPLICABLE EMISSION LIMIT OR STANDARD	METHOD OF COMPLIANCE
10 CSR 10-6.062(3)(B)3.A.	Ž YES □ NO	Metalizing, spraying molten metal onto a surface to form a coating, is not permitted under this permit-by-rule. The use of coatings that contain metallic pigments is permitted.	Proper work practice.
		All facilities shall implement good housekeeping procedures to minimize fugitive emissions, including:  All spills shall be cleaned up immediately.  The booth or work area exhaust fans shall be	To ensure proper work practices the operator
10 CSR 10-6.062(3)(B)3.B.	⊠yes □ no	operating when cleaning spray guns and other equipment.  All new and used coatings and solvents shall be stored in closed containers. All waste coatings and solvents shall be removed from the site by an authorized disposal service or disposed of at a permitted on-site waste management facility.	shall provide and maintain suitable, easily read, permanent markings on all coatings and solvents containers.
10 CSR 10-6.062(3)(B)3.C.	⊠YES □ NO	Drying and curing ovens shall either be electric or meet the following conditions:  The maximum heat input to any oven must not exceed forty (40) million British thermal units (Btus) per hour.  Heat shall be provided by the combustion of one of the following: natural gas, liquid petroleum gas, fuel gas containing no more than twenty (20) grains of total sulfur compounds (calculated as sulfur) per one hundred (100) dry standard cubic feet, or number 2 fuel oil with not more than three tenths percent (0.3%) sulfur by weight.	Proper work practice.
10 CSR 10-6.062(3)(B)3.D.	⊠YES □ NO	the coating materials (as applied) and cleanup solvents shall not exceed the following for all operations:  Forty (40) tons per twelve (12)-month period.	Determined through proper record keeping. Worksheets A, B, and C (or equivalent) shall be used to demonstrate compliance with this condition. These records shall be maintained for not less than five (5) years, and they shall be immediately available to any Missouri Department of Natural Resources personnel upon request. The operator shall report to the Air Pollution Control.
		on the property.  Each individual hazardous air pollutant shall	Program's Enforcement Section, P.O. Box 176, Jefferson City, Missouri 65102, no later than ten (10) days after the end of the month during which these conditions are exceeded.  PAGE:

SPECIAL CONDITION	EMISSION SOURCE COMPLY?	APPLICABLE EMISSION LIMIT OR STANDARD	METHOD OF COMPLIANCE
10 CSR 10-6.062(3)(B)3.E.	1≦YES □ NO	The surface coating operations shall be performed indoors, in a booth or in an enclosed work area. The booth shall be designed to meet a minimum face velocity at the intake opening of each booth or work area of one hundred feet (100') per minute. Emissions shall be exhausted through elevated stacks that extend at least one and one-half (1½) times the building height above ground level. All stacks shall discharge vertically. There shall be no obstructions, such as rain caps, unless such services are designed to automatically open when booths are operated.	Proper work practice.
10 CSR 10-6.062(3)(B)3.F.	X-yes □ no	For spraying operations, emissions of particulate matter must be controlled using either a water wash system or a dry filter system with a ninety-five percent (95%) removal efficiency as documented by the manufacturer. The face velocity at the filter shall not exceed two hundred fifty feet (250') per minute or that specified by the filter manufacturer, whichever is less. Filters shall be replaced according to the manufacturer's schedule or whenever the pressure drop across the filter no longer meets the manufacturer's recommendation.	Proper work practice.
10 CSR 10-6.062(3)(B)3.G.	XYES NO	Coating operations shall be conducted at least fifty feet (50') from the property line and at least two hundred fifty feet (250') from any recreational area, residence, or other structure not occupied or used solely by the owner of the property upon which the facility is located.	Proper work practice.
10 CSR 10-6.062(3)(В)З.Н.	ÄYES □ NO	The facility shall not be located in an ozone nonattainment area.	Proper work practice.
10 CSR 10-6.062(3)(B)3.I.	XSLYES □ NO	A set of example calculations showing the method of data reduction including units, conversion factors, assumptions, and the basis of	Determined through proper record keeping. Worksheets A, B, and C (or equivalent) shall be used to demonstrate compliance with this condition. These records shall be maintained for not less than five (5) years, and they shall be immediately available to any Missouri Department of Natural Resources personnel upon request. The operator shall report to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, Missouri 65102, no later than ten (1) days after the end of the month during which these conditions are exceeded.

# SECTION C: OTHER POTENTIALLY APPLICABLE REQUIREMENTS

This section is intended to identify regulations that may apply to this installation. There may be others not listed that apply. To determine rule applicability and specific standards please consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements.

Please note: this permit allows you to construct and operate your air contaminant source(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources, and other applicable federal, state, and local laws and ordinances.

REGULATION OR CONSTRUCTION PERMIT REFERENCE	APPLICABLE EMISSION LIMIT OR STANDARD	METHOD OF COMPLIANCE
10 CSR 10-2.100, 10-3.030, or 10-4.090, 10-5.070 Open Burning Restrictions	Shall not conduct, cause, permit or allow a salvage operation, the disposal of trade wastes or burning of refuse by open burning.	Any person intending to engage in open burning shall submit a request to the Director.
10 CSR 10-2.070, 10-3.090 or 10-4.070, Restriction of Emission of Odors	No person may cause, permit or allow the emission of odorous matter in concentrations and frequencies or for durations that odor can be perceived when air is diluted to 1:7 volumes of odorous to odor-free air for 2 separate trails not less than 15 minutes apart within 1 hour.	No odor violations noted, if and when scentometer readings are taken.
10 CSR 10-5.160 Control of Odors in the Ambient Air	No person shall emit odorous matter as to cause an objectionable odors unless within the limits established by this rule.	No odor violations noted, if an when scentometer readings are taken.
10 CSR 10-6.065, Operating Permits	The permittee shall comply with all applicable requirements identified in the operating permit (OP); file for timely renewal of this OP; and retain a copy of the OP on-site and make available to any MDNR personnel upon request.	The permittee shall submit an annual compliance certification in accordance with the regulation. The permittee shall maintain a current equipment list on-site with the date of installation of the equipment.
10 CSR 10-6.110, Submission of Emission Data, Emission Fees and Process Information	Submittal of Emission Inventory Questionnaire (EIQ) and emission fees by frequency noted in 10 CSR 10-6.110.	The permittee shall complete and submit an EIQ in accordance with 10 CSR 10-6.110.
10 CSR 10-6.050, Start-up, Shutdown and Malfunction Conditions	Shall not commence construction or modification of any installation subject to this rule; begin operation after construction or modification; or begin operation of any installation which has been shut down longer than 5 years without first obtaining a permit.	In the event of a malfunction, which results in excess emissions that exceed 1 hour, the permittee shall implement corrective action and submit reports.
Organic Compound Emissions From Wood	The owner or operator shall limit VOC emissions from finishing operations by complying with requirements found in 10 CSR 10-5.530(3).	Proper work practice, and maintenance of records as required by the rule.
10 CSR 10-2.210, and 10-5.300 Control of Emissions From Solvent Metal Cleaning	No person shall cause or allow solvent metal cleaning or degreasing operations without adhering to the operations procedures in the rule, following the use recommendations by the equipment manufacturer, without minimum operator and supervisor training, and the equipment must conform to the specifications established in the rule.	Proper work practice, and maintenance of records as required by the rule.


SECTION C: OTHER POTENTIALLY APPLICABLE REQUIREMENTS (CONTINUED)				
REGULATION OR CONSTRUCTION PERMIT REFERENCE	APPLICABLE EMISSION LIMIT OR STANDARD	METHOD OF COMPLIANCE		
10 CSR 10-2.215 and 10 CSR 10-5.455 Control of Emissions from Solvent Cleanup Operations	Any person performing certain industrial cleaning involving the use of a VOC solvent shall demonstrate a thirty percent (30%) reduction in plant-wide industrial VOC cleaning solvent emissions by May 1, 2003 (10-2.215) or May 31, 2003 (10-5.455). The emission reduction shall be based on an average of the summation of the emissions in 1997 and 1998 (10-2.215) or by a representative year 1990 or 1995 (10-5.445).	Proper work practice, and maintenance of records as required by the rule.		
10 CSR 10-2.230, 10-5.330, Control of Emissions From Industrial Surface Coating Operations	No person shall emit any VOC from any surface coating operation in excess of amounts listed in tables 10 CSR 10-2.230(4) and 10-5.330(4).	Proper work practice, and maintenance of records as required by the rule.		
10 CSR 10-6.070 New Source Performance Regulations	The following federal NSPS standards may apply: (EE) Surface Coating of Metal Furniture, (MM) Automobile and Light Duty Truck Surface Coating Operations, (SS) Industrial Surface Coating: Large Appliances, (TT) Metal Coil Surface Coating, (WW) Beverage Can Surface Coating Industry, (FFF) Flexible Vinyl and Urethane Coating and Printing, (TTT) Industrial Surface Coating: Surface Coating of Plastic Parts for Business Machines.	As required by regulations.		
10 CSR 10-6.075 Maximum Achievable Control Technology Regulations	The following federal MACT standards may apply: (JJ) National Emission Standards for Wood Furniture Manufacturing Operation, (KKKK) Metal Can Surface Coating, (MMMM) Miscellaneous Metal Parts and Products Surface Coating, (NNNN) Large Appliance Surface Coating, (PPPP) Plastic Parts Surface Coating, (QQQQ) Wood Building Products Surface Coating, (RRRR) Metal Furniture Surface Coating, and (SSSS) Metal Coil Surface Coating.	As required by regulations.		
MO 780-1887 (3-04)	-	PAGE 5		

# Greene County Assessor's Office

1205401145

Garage Graphics & Visuals Inc TINDLE STEPHEN BETAL TR

2465 E JEAN ST 2621 N Neergard Ave



Printed on Wednesday, March 09, 2005, at 2:50:40 PM

Powered by Akanda